ELSEVIER

Journal of Magnetism and Magnetic Materials 209 (2000) 249–252

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Author index to volume 209

Cass, S., see Coey, J.M.D. 71
Chang, C.-R. and S.-P. Chen, Enhancement of tunneling magnetoresistance through a magnetic barrier 61
Chang, C.-R. and T.C. Cheng, Abrupt relaxation in high-spin molecules 125
Chang, C.-R., see Wang, B.K. 214
Chang, C.-R., see Lin, H.-N. 243
Chang, C.A., see Chiang, W.-C. 95
Chang, C.H., see Hwang, C.S. 169
Chang, C.H., Ch. Wang, C.S. Hwang, M.H. Huang, T.C. Fan, H.H. Chen and F.Y. Lin, Magnetic design of a 3 T time-varying elliptical wiggler 173
Chang, C.L., M.F. Tai, T.W. Chung, F.Y. Lee, Y.W. Su, S.Y. Liu, C.S. Hwang, P.K. Tseng and J.B. Shi, X-ray absorption spectroscopy study of the $La_{0.7}$-$Ba_{0.3}$ $Mn_{1-x}Co_xO_3$ system 240
Chang, J.J., see Hwang, C.C. 234
Chang, P.C., see Hwang, C.S. 169
Chang, S.C., see Chen, S.H. 193
Chang, Y.-H., see Liu, C.-P. 176
Chang, Y.-H., see Lin, Y.-K. 180
Chang, Y.-H., see Lin, T.-K. 183
Chang, Y.-H., see Liu, C.-P. 201
Chantrell, R.W., see Coverdale, G.N. 21
Chen, B.-M., see Wu, T.-H. 220
Chen, B.-M., see Wu, T.-H. 224
Chen, C.-Y., see Lin, Y.-K. 180
Chen, C.T., see Hwang, C.S. 169
Chen, H.H., see Hwang, C.S. 169
Chen, H.H., see Chang, C.H. 173
Chen, H.Z., see Young, S.L. 145
Chen, K., see Horng, L. 237
Chen, M.M., see Huang, J.C.A. 90
Chen, S.-A., see Lai, C.-H. 122
Chen, S.-P., see Chang, C.-R. 61
Chen, S.H., S.C. Chang and I.N. Lin, The influence of grain boundary internal stress on permeability: temperature curve for Mn–Zn ferrites 193
Chen, Y.-H., see Peng, S.-M. 80
Chen, Y.C., see Young, S.L. 145
Cheng, C.Y., see Wu, S.Y. 116
Cheng, T.C., see Chang, C.-R. 125
Chern, G., L. Horng, M.Z. Lin, S.M. Li, D.S. Lee, T.Y. Hou, M.F. Tai and T.-h. Wu, Structural and magnetic characterization of Fe_3O_4/Mn_3O_4 superlattices 138
Chi, C.C., see Yao, B.C. 103
Chia, R.W.J., C.C. Wang and J.J.K. Lee, Effect of adatom mobility and substrate finish on film morphology and porosity: thin chromium film on hard disk 45
Chiang, D.Y., see Ma, S.C. 131
Chiang, W.-C., J.G. Lin, C.Y. Huang, D.R. Huang and C.A. Chang, Magnetic anisotropy of pseudo-spin-valve Co/Cu/NiFe 95
Chin, T.-H., Permanent magnet films for applications in microelectromechanical systems 75
Chin, T.-S., see Jian, M.-R. 205
Ching, W.-Y. and Y.-N. Xu, Magnetic structure and Fe moment distribution in rare-earth iron intermetallic compounds by first-principles calculations 28
Chiou, Y.-H., see Lin, H.-N. 243
Chiu, H.C., see Huang, J.C.A. 106
Choe, S.-B. and S.-C. Shin, Magnetic domain reversal dynamics in Co/Pd nanomultilayers 84
Choi, H.J., C.A. Kim, T.M. Kwon and M.S. Jhon, Viscosity of magnetic particle suspensions 228
Chung, T.W., see Chang, C.L. 240
Coey, J.M.D. and S. Cass, Magnetic water treatment 71
Coverdale, G.N. and R.W. Chantrell, Calculations of the microstructure and magnetic properties of particulate recording media 21

Deng, H.Y., see Lu, J.J. 37
Dey, S., see Tong, H.C. 56

Fan, T.C., see Chang, C.H. 173
Felcher, G.P., see Lee, C.-H. 110
Fu, C.-M., K.S. Hsu, M.L. Lin and Z.H. Wen, Frequency-dependent magneto-impedance spectra in manganite oxides 154
Fu, C.M., see Huang, J.C.A. 90
Fu, C.M., K.S. Hsu, M.L. Lin and Z.H. Wen, Giant magneto-impedance effects in sintered $La_{1-x}Ca_xMnO_3$ oxides 151
Funada, S., see Tong, H.C. 56

Guo, G.Y., Orientation dependence of the magnetoelastic coupling constants in strained FCC Co and Ni: an ab initio study 33
Guo, G.Y., see Wang, H.H. 98
Guo, G.Y., see Liu, S.S. 135
Guo, G.Y., see Wang, B.K. 214

0304-8853/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(99)00827-6

Her, H.Y., see Lin, M.-T. 211
Ho, J.W., see Lin, M.-T. 211
Horng, L. and K. Chen, Detailed analysis of magnetic phase diagram in Bi-2223 superconductors 237
Horng, L., see Chern, G. 138
Horng, L., see Young, S.L. 145
Hou, T.Y., see Chern, G. 138
Hsu, K.S., see Fu, C.M. 151
Hsu, K.S., see Fu, C.-M. 154
Hsu, W.-C., see Kuo, C.-M. 100
Hu, S.-H., see Liu, C.-P. 176
Hu, S.F., see Liu, R.S. 113
Hu, Y.-N., see Lin, Y.-K. 180
Hua, W., see Sheng, G. 160
Hua, W., B. Liu, G. Sheng and Y. Zhu, Investigations of disk surface roughness on the dynamic performance of proximity recording slider 163
Huang, B.Y., K. Yamamoto, C. Kaido and Y. Yamashiro, Effect of cold-rolling on magnetic properties of non-oriented silicon steel sheets (Part II) 197
Huang, C.Y., see Huang, D.R. 50
Huang, C.Y., see Chiang, W.-C. 95
Huang, C.Y., see Liu, R.S. 113
Huang, C.Y., see Lin, J.G. 128
Huang, D.-R., see Liu, C.-P. 176
Huang, D.-R., see Lin, T.-K. 183
Huang, D.-R., see Liu, C.-P. 201
Huang, D.R., T.F. Ying, S.J. Wang, L.T. Kuo, H.C. Huang and C.Y. Huang, An innovative design of a slim type DVD spindle motor 50
Huang, D.R., see Chiang, W.-C. 95
Huang, D.R., see Ma, S.C. 131
Huang, H.-C., see Liu, C.-P. 176
Huang, H.-C., see Lin, T.-K. 183
Huang, H.C., see Huang, D.R. 50
Huang, H.K., see Wu, K.T. 246
Huang, H.L., see Lu, J.J. 37
Huang, H.L., see Lin, M.-T. 211
Huang, J.C.A. and H.C. Chiu, Influence of growth orientation on the exchange bias in epitaxial CoMn/$Ni_{80}Fe_{20}$ films 106
Huang, J.C.A., L.C. Wu, M.M. Chen, T.H. Wu, J.C. Wu, Y.W. Huang, C.H. Lee and C.M. Fu, Perpendicular magnetic anisotropy and magnetic domain structure of unpatterned and patterned Co/Pt multilayers 90
Huang, J.C.A., see Lee, C.-H. 110
Huang, J.C.A., see Lai, C.-H. 122
Huang, M.H., see Hwang, C.S. 169
Huang, M.H., see Chang, C.H. 173
Huang, Y.W., see Huang, J.C.A. 90
Huang, Y.W., see Wu, T.-H. 224
Hwang, C.C. and J.J. Chang, Design and analysis of a high power density and high efficiency permanent magnet DC motor 234
Hwang, C.S., C.T. Chen, P.C. Chang, H.H. Chen, C.H. Chang and M.H. Huang, A permanent magnet device for producing variable high magnetic field in three dimensions 169
Hwang, C.S., see Chang, C.H. 173
Hwang, C.S., see Chang, C.L. 240
Jang, Y.-L., see Peng, S.-M. 80
Jeng, J.-T., Nonlinear adaptive inverse control for the magnetic bearing system 186
Jhon, M.S., see Choi, H.J. 228
Jian, M.-R., T.-S. Chin, J.-L. Tsai, H.-W. Zhang and B.-G. Shen, Structure and magnetic properties of textured $Nd(Fe,Ti)_{12}N_x$ films 205

Kaido, C., see Huang, B.Y. 197
Kim, C.A., see Choi, H.J. 228
Klik, I. and Y.D. Yao, Stretched-exponential decay in isolated single domain particles 25
Kuo, C.-M., P.C. Kuo, W.-C. Hsu, C.-T. Li and A.-C. Sun, Effects of W and Ti on the grain size and coercivity of $Fe_{50}Pt_{50}$ thin films 100
Kuo, C.C., see Lin, M.-T. 211
Kuo, C.M., S.Y. Wu, W.-H. Li, K.C. Lee and H.D. Yang, Effects of Ca-doping on the transport and magnetic properties of $La_{1.4}Sr_{1.6}Mn_2O_7$ 142
Kuo, L.-T., see Liu, C.-P. 176
Kuo, L.T., see Huang, D.R. 50
Kuo, P.C., see Kuo, C.-M. 100
Kwon, T.M., see Choi, H.J. 228

Lai, C.-H., see Wang, Y.H. 119
Lai, C.-H., S.-A. Chen and J.C.A. Huang, Stress-induced exchange anisotropy of epitaxial (1 1 1) NiFe/NiFeMn 122
Lee, C.-H., K.-L. Yu, M.-H. Lee, J.C.A. Huang and G.P. Felcher, The magnetic depth profile at the interface of a permalloy/Co thin film studied by polarized neutron and X-ray reflectivity 110
Lee, C.H., see Huang, J.C.A. 90
Lee, D.S., see Chern, G. 138
Lee, F.Y., see Tai, M.F. 148
Lee, F.Y., see Chang, C.L. 240
Lee, J.B., see Yao, B.C. 103
Lee, J.J.K., see Chia, R.W.J. 45
Lee, K.C., see Wu, S.Y. 116
Lee, K.C., see Kuo, C.M. 142
Lee, M.-H., see Lee, C.-H. 110
Lee, S.F., see Tsay, J.S. 208
Lee, S.F., see Lin, J.Y. 217
Lee, S.F., C. Yu, W.T. Shih, Y. Liou and Y.D. Yao, Properties of Nb/Co trilayers 231
Leung, M.-K., see Peng, S.-M. 80
Li, C.-T., see Kuo, C.-M. 100
Li, F.-Y., see Peng, S.-M. 80
Li, S.M., see Chern, G. 138
Li, W.-H., see Kuo, C.M. 142
Li, W.H., see Wu, S.Y. 116
Liang, H.H., see Tsai, C. 157
Liang, J., see Tsai, C. 157
Lin, F.Y., see Chang, C.H. 173
Lin, H.-N., see Lin, Y.-K. 180
Lin, H.-N., C.-R. Chang and Y.-H. Chiou, Magnetic force microscopy study of a defect-induced orthogonal magnetic structure on a cobalt film 243
Lin, I.N., see Tsay, C.Y. 189
Lin, I.N., see Chen, S.H. 193

Lin, J.G., see Chiang, W.-C. 95
Lin, J.G., see Liu, R.S. 113
Lin, J.G., M.R. Wu, D.H. Ngu, C.Y. Huang and S. Mao, Effect of ion-irradiation on the NiFe/Cu/NiFe/NiMn spin valve 128
Lin, J.Y., J.S. Tsay, Y. Liou, Y.D. Yao, S.F. Lee and C.S. Yang, High-temperature magnetization anomaly in Co/Ag/Si(1 1 1) ultrathin films 217
Lin, M.-T., H.Y. Her, Y.E. Wu, C.S. Shern, J.W. Ho, C.C. Kuo and H.L. Huang, Annealing effects on magneto-optical Kerr effect and magnetic anisotropy in ultra-thin Co films on Pt(1 1 1) 211
Lin, M.L., see Fu, C.M. 151
Lin, M.L., see Fu, C.-M. 154
Lin, M.Z., see Chern, G. 138
Lin, R.Y., see Wu, S.Y. 116
Lin, T.-K., see Liu, C.-P. 176
Lin, T.-K., see Lin, Y.-K. 180
Lin, T.-K., Y.-H. Chang, H.-C. Huang, S.-J. Wang, T.-F. Ying and D.-R. Huang, The dynamic performance affected by the axial magnetic force for a DVD spindle motor 183
Lin, T.-K., see Liu, C.-P. 201
Lin, T.F., see Tsay, C.Y. 189
Lin, Y.-K., Y.-N. Hu, T.-K. Lin, H.-N. Lin, Y.-H. Chang, C.-Y. Chen, S.-J. Wang and T.-F. Ying, A method to reduce the cogging torque of spindle motors 180
Liou, Y., see Tsay, J.S. 208
Liou, Y., see Lin, J.Y. 217
Liou, Y., see Lee, S.F. 231
Liu, B., see Sheng, G. 160
Liu, B., see Hua, W. 163
Liu, B., see Yuan, Z. 166
Liu, C.-P., T.-K. Lin, Y.-H. Chang, S.-H. Hu, K.-T. Wu, L.-T. Kuo, H.-C. Huang, T.-F. Ying and D.-R. Huang, The performance of a single-phase DC brushless motor utilizing the ferromagnetic base material 176
Liu, C.-P., T.-K. Lin, Y.-H. Chang, C.-S. Yu, K.-T. Wu, S.-J. Wang, T.-F. Ying and D.-R. Huang, Study of eddy current power loss from outer-winding coils of a magnetic position sensor 201
Liu, F., see Tong, H.C. 56
Liu, K.S., see Tsay, C.Y. 189
Liu, R.S., C.H. Shen, S.F. Hu, J.G. Lin and C.Y. Huang, New advanced magnetic $La_{1.2}(Sr_{1.8-x}Ca_x)Mn_2O_7$ compounds with colossal magnetoresistance 113
Liu, S.S. and G.Y. Guo, Voltage-dependence of magnetoresistance in ferromagnetic tunneling junctions: a rigorous free electron model study 135
Liu, S.Y., see Chang, C.L. 240
Lo, C.K., see Wang, Y.H. 119
Lo, C.K., see Ma, S.C. 131
Lu, J.J., H.Y. Deng and H.L. Huang, Thermal relaxation of interacting fine magnetic particles – field-cooled and zero-field-cooled magnetization variation 37

Ma, S.C., C.K. Lo, Y.D. Yao, D.Y. Chiang, T.F. Ying and D.R. Huang, The GMR effect of Cu/Co multilayer on Si(1 0 0) 131
Mao, S., see Lin, J.G. 128
Miloslavsky, L., see Tong, H.C. 56
Mou, C.-Y., see Peng, S.-M. 80

Ngu, D.H., see Lin, J.G. 128

Peng, S.-M., C.-C. Wang, Y.-L. Jang, Y.-H. Chen, F.-Y. Li, C.-Y. Mou and M.-K. Leung, One-dimensional metal string complexes 80

Qian, C., see Tong, H.C. 56

Schloemann, E., Advances in ferrite microwave materials and devices 15
Shen, B.-G., see Jian, M.-R. 205
Shen, C.H., see Liu, R.S. 113
Shen, I.Y., Recent vibration issues in computer hard disk drives 6
Sheng, G., B. Liu, W. Hua and Y. Zhu, Stable interface concept and design for nano-meter spacing magnetic recording 160
Sheng, G., see Hua, W. 163
Shern, C.S., see Lin, M.-T. 211
Shi, J.B., see Young, S.L. 145
Shi, J.B., see Tai, M.F. 148
Shi, J.B., see Chang, C.L. 240
Shi, X., see Tong, H.C. 56
Shieh, H.-P.D., see Wu, T.-H. 220
Shieh, H.-P.D., see Wu, T.-H. 224
Shih, W.T., see Lee, S.F. 231
Shin, S.-C., see Choe, S.-B. 84
Su, Y.W., see Chang, C.L. 240
Sun, A.-C., see Kuo, C.-M. 100

Tai, M.F., see Chern, G. 138
Tai, M.F., F.Y. Lee and J.B. Shi, Co doping effect on the crystal structure, magnetoresistance and magnetic properties of an $(La_{0.7}Ba_{0.3})(Mn_{1-x}Co_x)O_3$ system with $x = 0 - 1.0$ 148
Tai, M.F., see Chang, C.L. 240
Takahashi, M., M. Tsunoda and K. Uneyama, Extremely clean sputtering process for spin valves: exchange anisotropy and spin-dependent transport 65
Takahashi, N., Optimal design of magnetic devices 42
Tong, H.C., C. Qian, L. Miloslavsky, S. Funada, X. Shi, F. Liu and S. Dey, Studies on antiferromagnetic/ferromagnetic interfaces 56
Tsai, C., J. Liang, H.H. Liang and C.M. Wang, Sputtering parameters affecting the corrosion resistance of CoCrPtTa thin film media 157
Tsai, C.S., Wideband tunable microwave devices using ferromagnetic film–gallium arsenide material structures 10
Tsai, J.-L., see Jian, M.-R. 205
Tsay, C.Y., K.S. Liu, T.F. Lin and I.N. Lin, Microwave sintering of NiCuZn ferrites and multilayer chip inductors 189
Tsay, J.S., Y.D. Yao, Y. Liou, S.F. Lee and C.S. Yang, Comparison of magnetic properties of ultrathin Co/Si(1 1 1) and Co/Ag/Si(1 1 1) films 208
Tsay, J.S., see Lin, J.Y. 217
Tseng, P.K., see Chang, C.L. 240

Tsunoda, M., see Takahashi, M. 65

Uneyama, K., see Takahashi, M. 65

Wang, B.K., G.Y. Guo and C.-R. Chang, Calculated structural and magnetic properties of artificially made $L1_0$ FeCu superlattice 214
Wang, C.-C., see Peng, S.-M. 80
Wang, C.C., see Chia, R.W.J. 45
Wang, C.M., see Tsai, C. 157
Wang, Ch., see Chang, C.H. 173
Wang, H.H. and G.Y. Guo, Gradient-corrected density functional calculation of structural and magnetic properties of BCC, FCC and HCP Cr 98
Wang, S.-J., see Lin, Y.-K. 180
Wang, S.-J., see Lin, T.-K. 183
Wang, S.-J., see Liu, C.-P. 201
Wang, S.J., see Huang, D.R. 50
Wang, Y.H., C.-H. Lai, C.K. Lo and Y.D. Yao, Exchange anisotropy of epitaxial (0 0 1) NiMn/NiFe 119
Wen, Z.H., see Fu, C.M. 151
Wen, Z.H., see Fu, C.-M. 154
White, R.L., The physical boundaries to high-density magnetic recording 1
Wu, C.S., see Wu, T.-H. 220
Wu, J.C., see Huang, J.C.A. 90
Wu, J.C., see Wu, T.-H. 220
Wu, J.C., see Wu, T.-H. 224
Wu, K.-T., see Liu, C.-P. 176
Wu, K.-T., see Liu, C.-P. 201
Wu, K.T., Y.D. Yao and H.K. Huang, Comparison of dynamic and optical properties of Fe_3O_4 ferrofluid emulsion in water and oleic acid under magnetic field 246
Wu, L.C., see Huang, J.C.A. 90
Wu, M.K., see Yao, B.C. 103
Wu, M.R., see Lin, J.G. 128
Wu, S.Y., R.Y. Lin, C.Y. Cheng, W.H. Li, K.C. Lee and H.D. Yang, Superconductivity and magnetic order in $TbSr_2Cu_{2.69}Mo_{0.31}O_7$ 116
Wu, S.Y., see Kuo, C.M. 142
Wu, T.-H., J.C. Wu, C.S. Wu, B.-M. Chen and H.-P.D. Shieh, Geometric shape dependence of coercivity for patterned magnetic thin films 220
Wu, T.-H., J.C. Wu, Y.W. Huang, L.X. Ye, B.-M. Chen and H.-P.D. Shieh, Relaxation of pinned domains in patterned magnetic thin films 224
Wu, T.-h., see Chern, G. 138
Wu, T.C., see Young, S.L. 145
Wu, T.H., see Huang, J.C.A. 90
Wu, Y.E., see Lin, M.-T. 211

Xu, Y.-N., see Ching, W.-Y. 28

Yamamoto, K., see Huang, B.Y. 197
Yamashiro, Y., see Huang, B.Y. 197
Yang, C.S., see Tsay, J.S. 208
Yang, C.S., see Lin, J.Y. 217
Yang, H.C., see Yao, B.C. 103
Yang, H.D., see Wu, S.Y. 116
Yang, H.D., see Kuo, C.M. 142
Yao, B.C., J.B. Lee, C.C. Chi, M.K. Wu and H.C. Yang, Temperature dependence of tunneling spectroscopy in epitaxial thin film $Pr_{0.5}Sr_{0.5}MnO_3$ 103
Yao, Y.D., see Klik, I. 25
Yao, Y.D., see Wang, Y.H. 119
Yao, Y.D., see Ma, S.C. 131
Yao, Y.D., see Tsay, J.S. 208
Yao, Y.D., see Lin, J.Y. 217
Yao, Y.D., see Lee, S.F. 231
Yao, Y.D., see Wu, K.T. 246
Ye, L.X., see Wu, T.-H. 224
Ying, T.-F., see Liu, C.-P. 176
Ying, T.-F., see Lin, Y.-K. 180
Ying, T.-F., see Lin, T.-K. 183
Ying, T.-F., see Liu, C.-P. 201
Ying, T.F., see Huang, D.R. 50
Ying, T.F., see Ma, S.C. 131
Young, S.L., Y.C. Chen, L. Horng, T.C. Wu, H.Z. Chen and J.B. Shi, Structural and magnetic properties in $La_{0.7}Pb_{0.3}Mn_{1-x}Co_xO_3$ systems 145
Yu, C., see Lee, S.F. 231
Yu, C.-S., see Liu, C.-P. 201
Yu, K.-L., see Lee, C.-H. 110
Yuan, Z. and B. Liu, Anti-thermal asperity head: design and performance analysis 166

Zhang, H.-W., see Jian, M.-R. 205
Zhu, Y., see Sheng, G. 160
Zhu, Y., see Hua, W. 163

ELSEVIER

Journal of Magnetism and Magnetic Materials 209 (2000) 253–254

journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Subject index to volume 209

(0 0 2) texture 205

AC magnetic susceptibility 142
AC Susceptibility 116
Advanced metal particle 21
Air bearing damping 163
Alternative disk media substrate 6
Anisotropy 95
Anisotropy energy 214
Antiferromagnetic 113
Antiferromagnetic interaction 80
Antiferromagnetic order 116
Antiferromagnetic/ferromagnetic interface 56
Axial magnetic force 183

Back emf 176
Bandstop (Notch) filters 10
Blocking temperature 37
Brushless DC motor 176
Brushless PM DC motor 234

Canting 220
Circularly polarized light 173
Circulator 15
CMR 148
CMR compound 142
Cobalt 208
Cobalt/silver 217
Cobaltates 148
Coercivity 100, 220
Cogging torque 50, 176, 180
Contact stiffness 163
Corrosion 157
Cross cold-rolling 197
Crystalline anisotropy 138
Crystallography 148

Defects 243
Density functional calculation 98
Dipole interaction 37
Disk and spindle vibration 6
Domain expansion 224
Domain reversal 90
Domain structure 90
Domain wall motion 224
Double wall 243

DVD 50
DVD spindle motor 183
Dynamic performance 163

E-beam evaporation 119
E-beam lithography 220, 224
Eddy current 201
Elastic constants 98
Electric vehicles 234
Electronic structure 240
Elliptical wiggler 173
Elliptically polarized undulator 169
Emulsions 246
Energy barrier 37
Epitaxial films 119
Exchange anisotropy 65
Exchange bias 56
Exchange coupling 106
Exchange field 119
External stress 193
Extremely clean process 65

Fe moment distributions 28
Ferrimagnetic/ferrimagnetic coupling 138
Ferrite 15
Ferrites 189, 193
Ferrofluids 246
Ferromagnetic films 10
Ferromagnetic resonance 15
Ferromagnetic resonance frequency 10
Film porosity 45
Fine particles 25
Finite element method 42, 183, 234
FMR 95
Frequency response 163

GMR 65, 131
Granular media 1
Growth orientation 106

Hard disk drives 6
Hard disks 45
Head–disk interface 160, 166
High power density 234
High-spin 125
Hydrodynamic spindles 6
Hysteresis 128

Internal stress 193
Isolator 15

Kronmüller model 205

Lattice 145
LIGA 75

Magnetic aftereffect 25
Magnetic anisotropy 33, 106
Magnetic bearing system 186
Magnetic devices 42
Magnetic domain dynamics 84
Magnetic force microscopy 243
Magnetic moment 214
Magnetic particle suspension 228
Magnetic pinning 224
Magnetic position sensor 201
Magnetic properties 21, 148
Magnetic read/write head 166
Magnetic recording 1, 160, 166
Magnetic structure 28
Magnetic thin films 110
Magnetic transition 138
Magnetic tunneling junction 135
Magnetic viscosity 125
Magnetic water treatment 71
Magnetization reversal 84
Magneto-impedance 151, 154
Magneto-optic Kerr effect 208, 211, 217
Magneto-resistance 131
Magnetoelastic coupling 33
Magnetoresistance 61, 65, 103, 113, 128, 135, 145
Magnetostatic waves 10
Manganese oxides 151, 154
Manganites 103, 113, 148
MBE 122
Melting transition 237
MEMS 75
Metal string complexes 80
Metal–metal multiple bonds 80
Micro-structure 220
Microelectromechanical system 75
Micromachining 75
Microstrip transmiss line 10
Microstructure 21, 228

0304-8853/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(99)00828-8

Microwave sintering 189
Mobility 45
Molecular beam epitaxy 106
Molecular beam epitaxy (MBE) 138
μ_i–T characteristics 193
Multilayer chip inductors 189
Multilayers 84, 90, 131

Neutron reflectivity 110
Nitriding 205
Non-oriented 3% silicon steel sheet 197
Non-reciprocal 15
Nonlinear adaptive inverse control 186

Optimal design 42

Patterned media 1
Permanent magnet applications 71
Permanent magnet device 169
Permanent magnet films 75
Perpendicular magnetic anisotropy 90, 211
Phase diagram 237
Phase shifter 15
Polarization 61
Polymer magnet 75
Power loss 201
Primary recrystallization texture 197
Probability model 163
Proximity effect 231
Pseudo-spin valve 95

Rare-earth Fe compounds 28
Rare-earth magnet films 75
Relaxation 237
Resistivity 142
Resonant tunneling 125
Rhombohedral distorted perovskite 145
R–H minor loop 131

Salient pole 50
Seeding layer 90
Shaped-dependence 220
Single-phase 145
Single-phase brushless spindle motor 50
Slider design 160
Spike domain 243
Spin valve 65, 128
Spin-dependent transport 65
Spin-filter 61
Spin-polarized calculations 28
Spindle motor 180
Sputtering 65, 100
Sputtering parameters 157
Stress-induced exchange anisotropy 122
Substrate defects 45
Superconductivity 116, 231
Superconductor 237
Superlattices 138
Superparamagnetism 71
Suspension viscosity 228

Thermal annealing 211
Thermal asperity 166
Thermal relaxation 37
Thermal stability 1
Thin film media 157
Thin films 100, 205
Torque constant 183
Transmittance 246
Tribology 160
Tunneling spectroscopy 103

Ultrathin film 208, 211, 217

Vortex 237

Wideband microwave devices 10

X-ray absorption 240
X-ray reflectivity 110
XMCD 169
XMLD 169